



 **Murat Çeşme Mah. E-5 Londra Asfaltı Cad. No:122/A**

PRODUCT CATALOGUE

A collection of UGREEN mobile accessories is displayed on a stylized, multi-tiered stand. The stand features a central blue cylindrical base with a white top, flanked by green and gold-colored sections. On the central base sits a large, dark blue, textured power bank with the UGREEN logo. To the left, a black car charger with a red LED indicator is positioned on a green tier. In front of the car charger is a black USB-C to USB-A cable coiled around a green base. To the right, a black wireless earbud case is open, showing two earbuds, with one earbud lying on the white surface in front of it. A black car charger is also visible on the gold tier. In the background, a black smartphone is mounted on a silver stand. To the right of the phone is a black, textured rectangular device, possibly a portable charger or a small power bank, sitting on a blue tier. The entire setup is presented against a plain white background.

CORPORATE PROFILE

At UGREEN, we believe there's an optimal combination of value and innovation. Since our foundation in 2012, we've been dedicated to building consumer electronic devices and accessories with leading technological innovations, and making them accessible to our everyday consumers. The user-centered philosophy runs in our blood and through our R&D, design, manufacturing, sales, and marketing, as well as customer service.

UGREEN has steadily grown into a brand trusted by over 40 million users in more than 100 countries around the world. Our award-winning product portfolio ranges from charging devices, mobile-phone and computer accessories, to home and automobile accessories. With an extensive channel network both online and offline, UGREEN is committed to providing maximum value backed by high-quality products and premium service to our customers.

CORPORATE CULTURE

Mission:

To provide great value to users, to increase employee happiness, and to make a difference to the society.

Vision:

To become a global brand of value and humanity.

Values:

To be user-centered, sincere, and dedicated to innovative technology.


Business Philosophy:

To establish an organization with great efficiency and vitality through continuous optimization, to strive for and create opportunities to provide users with valuable products and services.



UGREEN 绿联

STRATEGIC MILESTONES



HONORS AND AWARDS



IF Design Award



Red Dot Design Award



Contemporary Good Design Award



Red Star Design Award



APT Certificate



BQB Certificate



Qualcomm Quick Charge Certificate



Qi Certificate



TELEC Certificate



USPTO Certificate



CNIPA Patent Of Utility Models



CNIPA Patent Of Invention



EUIPO Certificate Of Registration



CE Certificate



FCC Certificate



ROHS Certificate



PSE Certificate




SRRC Certificate


PRODUCT INNOVATION

UGREEN's design philosophy always focuses on the needs of the customers. We built an efficient customer feedback system. Our media and online communities have allowed us to act on our customers' ideas to create more valuable products. We value simplicity and accessibility in our designs. Our products are minimalist and simple to operate in order to ensure that our customers can easily use them in their daily lives.


Our products work for personal computers and mobile phones. We have put an emphasis on developing more phone accessories that feature fast charging, data transference, and the ability to simplify your life.



WORKSHOP OVERVIEW



GLOBAL SALES NETWORKS



MARKET COVERAGE

100+ Countries

North America	USA, Canada, Mexico
South America	Brazil, Chile, Peru
Europe	Germany, UK, Poland, Russia, Portugal
Middle East	Saudi Arabia, UAE, Kuwait, Turkey
Africa	South Africa, Egypt
East Asia	China, Japan, South Korea
Southeast Asia	Vietnam, Thailand, Malaysia, Indonesia
South Asia	India, Bangladesh

Key markets by country include but are not limited to the list above

Make Every Drive A Nice Journey

Enjoy your drive with ugreen





More Than Music With HiTune

Your music, your way






**Power Up
The Day**

One for all & ease your life





A Phone Holder A Life Helper

Adjust to any angles you want

TABLE OF CONTENTS

Charging & Data Cable

	Lightning Cable	01-02
	USB-C Cable	03-04
	Micro USB Cable	05-06
	Phone Adapter	07-08

Fast Charger

	Wall Charger	09-10
	Car Charger	11-12
	Wireless Charger	13-14

Power Bank

	Power Bank	15-16
---	------------	-------

Holder & Protector

	Phone Stand	17-18
	Car Phone Mount	19-20
	Organizer Gadget	21-22

Audio & Video

	Headphone	23-24
	A/V Cable & Converter	25-26
	Bluetooth Adapter	27-28



Lightning to USB-C Male Cable

PID: US304



3A Current



Fast Charge



Aluminum Case



Durable & Flexible

Withstand up to 5000+ bending tests



Reinforced stress points



Nylon Braided



MFi Certified


Made for
iPhone | iPad | iPod



Lightning to USB 2.0 Male Cable

PID: US155

- 5V/2.4A
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal



MFi Certified



2.4A Current




480Mbps

Lightning to USB 2.0 Male Cable

PID: US199

- 5V/2.4A
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Aluminum case with braid



MFi Certified



2.4A Current



480Mbps

Lightning to USB-C 2.0 Male Cable

PID: US171

- PD fast charging of 3A max
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal



MFi Certified



3A Current




480Mbps

Lightning to USB-C 2.0 Male Cable

PID: US298

- PD fast charging of 3A max
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal



MFi Certified



3A Current




480Mbps

Angled Lightning to USB-C 2.0 Cable

PID: US305

- PD fast charging of 3A max
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal



MFi Certified



3A Current




480Mbps

USB 2.0 Male to Micro USB+Lightning+ USB-C Cable

PID: US186

- USB-C charge: 3A max
- Lightning charge: 2.4A max
- Micro USB charge: 2A max
- Transfer speeds up to 480Mbps



MFi Certified



2.4A Current



480Mbps



USB-C 3.1 Gen2 Male to Male 5A Data Cable

PID: US355

- 10Gbps
- 100W
- Anti-Interference
- 4K HD



Strengthening
Crack-resistant



Braid Cable
More durable




Aluminum Shell
Fast heat dissipation

Angled USB-C Male to USB 2.0 Male Cable

PID: US284


- 3A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal
- 56kΩ pull-up resistor for overcurrent protection



USB-C Male to USB 3.0 Male Cable

PID: US184


- Transfer speeds up to 5Gbps
- Charging & Data Sync
- Support QC3.0/AFC/FCP
- 3A max fast charge
- 56kΩ pull-up resistor for overcurrent protection



USB-C 2.0 Male to Male 3A Data Cable

PID: US294


- 3A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Support PD60W



Angled USB-C 2.0 Male to Male 3A Data Cable

PID: US323


- 3A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Support PD60W



Angled USB-C 2.0 Male to Male 5A Data Cable

PID: US334


- 5A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Support PD100W



USB-C 3.1 Gen1 Male to Male 3A Data Cable

PID: US161

- 3A fast charging
- Transfer speeds up to 5Gbps
- Support PD60W
- Data & Charging & Audio/Video
- Built-in chip, support 4K@60Hz
- Transmit audio & video simultaneously





Micro USB Male to USB 2.0 Male Cable

PID: US290



2A Current



Fast Charge



Aluminum Case



Multi-layer of shielding



Fast Charge Up to 18W

Compliance with common fast charging protocols



Micro USB Male to USB 2.0 Male Cable

PID: US289

- 2A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal



2A Current



Anti-Interference



480Mbps



Micro USB Male to USB 2.0 Male Cable

PID: US289

- 2A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal



2A Current



Anti-Interference



480Mbps



Micro USB Male to USB 2.0 Male Cable

PID: US290

- 2A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Aluminum case with braid



2A Current



Anti-Interference



480Mbps



USB 2.0 to Micro USB+USB-C 3A Data Cable

PID: US177

- Speeds up to 480Mbps
- USB-C charge: 3A max
- Micro USB charge: 2A max
- Charging & Data Sync
- Multi-layer shielding in internal



2 in 1



Anti-Interference



480Mbps



Micro USB 3.0 Male to USB 3.0 Male Cable

PID: US130

- 2A fast charging
- Transfer speeds up to 5Gbps
- Charging & Data Sync
- Multi-layer shielding in internal



2A Current



Anti-Interference



5Gbps



Micro USB 3.0 to USB-C Cable

PID: US312

- 2A fast charging
- Transfer speeds up to 5Gbps
- Charging & Data Sync
- Multi-layer shielding in internal



2A Current



Anti-Interference



5Gbps





USB-C 3.1 to USB 3.0 Female OTG Adapter

PID: US270



Driver-Free



Keychain



5Gbps



Wide Compatibility

Apple Samsung Huawei Xiaomi Google LG HTC

Smart as You Want



Micro USB Male to USB 2.0 Female OTG Adapter

PID: US133

- Input: Micro USB Male
- Output: USB 2.0 Female
- Transfer speeds up to 480Mbps
- Multi-layer shielding in internal



Driver-Free



Anti-Interference



480Mbps

USB-C to Micro USB OTG Adapter

PID: US157

- Input: Micro USB Female
- Output: USB-C Male
- 2A max
- Charging & Data Sync
- Transfer speeds up to 480Mbps



2A Current



Driver-Free



480Mbps

Micro USB Male to USB-C Female Adapter

PID: US282

- Input: USB-C Female
- Output: Micro USB Male
- 2A Max
- Charging & Data Sync
- Transfer speeds up to 480Mbps



2A Current



Driver-Free



480Mbps

USB 2.0 Male to USB-C Female Adapter

PID: US280

- Input: USB 2.0 Male
- Output: USB-C Female
- 3A Max
- Charging & Data Sync
- Transfer speeds up to 480Mbps



3A Current



Driver-Free



480Mbps

Micro USB+USB-C to USB 3.0 Female OTG Adapter

PID: 30453

- Input 1: Micro USB Male
- Input 2: USB-C 3.1 Gen1 Male
- Output: USB 3.0 Female
- OTG function
- Micro USB delivers transfer speeds up to 480Mbps
- USB 3.0 delivers transfer speeds up to 5Gbps



2 in 1



Anti-Interference



Driver-Free

USB-A Female to HDMI Male Adapter

PID: CM151

- Input: USB 2.0 Female
- Output: HDMI Male
- USB 2.0 de rs transfer speeds up to 480Mbps
- HDMI resolutions up to 1080P@60Hz
- Netflix is unavailable in screencast



Support iOS



Support Android



HD 1080P @60Hz



65W 3C1A GaN Fast Charger

PID: CD224



GaN Tech



Smart Charging Protection



Compact



65W USB-C×3 & USB-A×1 Port

Supports common fast charging protocols: PD, QC, FCP, PPS, etc



Compact with High Power

GaN Power Tech
Higher Efficiency, Less Heat, Smaller Size

Half size

PD 20W Fast Charger

PID: CD241

- Input: 100-240V~ 50/60Hz 500mA Max
- USB-C Output: 5.0V=3.0A 9.0V=2.22A 12.0V=1.67A 3.3-5.9V=3.0A 3.3-11.0V=1.8A
- Total Output Power: 20.0W Max



PD 20W



Over-Current Protection



Short Circuit Protection

36W 2-Port QC3.0 Fast Charger

PID: CD161

- Input: 100-240V~ 50/60Hz 1.0A Max
- USB-A1/A2 Output: 5.0V=3.0A 9.0V=2.0A 12.0V=1.5A 18.0W Max
- Total Output Power: 36.0W Max



Flame Retardant



Smart Distribution



Multi-Protection

40W Dual USB-C PD Charger

PID: CD243

- Input: 100-240V~ 50/60Hz 1.0A Max
- USB-C1 Output: 5.0V=3.0A 9.0V=2.22A 12.0V=1.67A
- USB-C2 Output: 5.0V=3.0A 9.0V=2.22A 12.0V=1.67A
- Total Output Power: 40.0W Max



Foldable Plug



Flame Retardant



Multi-Protection

USB-C 65W PD GaN Tech Charger

PID: CD217

- Input: 100-240V~ 50/60Hz 1.8A Max
- USB-C Output: 5.0V=3.0A 9.0V=3.0A 12.0V=3.0A 15.0V=3.0A 20.0V=3.25A 3.3-21.0V=3.0A
- Total Output Power: 65.0W Max



GaN Tech



Smart Charging Protection



Compact

65W PD Fast Charger

PID: CD216

- Input: 100-240V~ 50/60Hz 1.8A Max
- USB-C1 Output: 5.0V=3.0A 9.0V=2.22A 12.0V=1.67 A 20.0W Max
- USB-C2 Output: 5.0V=3.0A 9.0V=3.0A 12.0V=3.0A 15.0V=3.0A 20.0V=3.25A 65.0W Max
- Total Output Power: 65.0W Max



Multi-Device Compatibility



Smart Distribution



Multi-Protection

100W 3C1A GaN Fast Charger

PID: CD226

- Input: 100-240~50/60Hz 2.3A Max
- USB-C1/C2 Output: 5.0V=3.0A 9.0V=3.0A 12.0V=3.0A 15.0V=3.0A 20.0V=5.0A 3.3-21.0V=3.0A 100.0W Max
- USB-C3 Output: 5.0V=3.0A 9.0V=2.5A 12.0V=1.88A 3.3-5.9V=3.0A 3.3-11.0V=2.0A 22.5W Max
- USB-A Output: 4.5V=5.0A 5.0V=4.5A 5.0V=3.0A 9.0V=2.0A 12.0V=1.5A 22.5W Max
- Total Output Power: 100.0W Max



GaN Tech



Compact



Multi-Protection



42.5W PD+QC 3.0 Car Fast Charger

PID: CD213

- PD**
Power Delivery
3.0/2.0
- Quick Charge**
3.0/2.0
- Multi-protection**

36W Dual QC 3.0 Car Fast Charger

PID: CD213

- Input: 12-24V=3.8A
- USB-A Output 1: 5V=3A 9V=2A 12V=1.5A
- USB-A Output 2: 5V=3A 9V=2A 12V=1.5A
- Total Output Power: 36W
- Support QC 3.0



- Quick Charge**
3.0/2.0
- Multi-Protection**
- 2-Port**

24W PD QC 3.0 Car Fast Charger

PID: CD130

- Input: 12-24V=2.7A
- USB-C Output: 5V=3A 9V=2.22A 12V=1.67A
- USB-A Output: 5V=3A 9V=2A 12V=1.5A
- Total Output: 5V=4.8A
- Total Output Power: 24W Max
- Aluminum alloy case
- Support PD 3.0 & QC 3.0



- PD**
Power Delivery
3.0/2.0
- Quick Charge**
3.0/2.0
- Multi-Protection**

40W Dual USB-C PD Car Fast Charger

PID: CD213

- Input: 12-24V=4.5A
- USB-C1 Output: 5V=3A 9V=2.22A 12V=1.67A
- USB-C2 Output: 5V=3A 9V=2.22A 12V=1.67A
- Total Output Power: 40W



- PD**
Power Delivery
3.0/2.0
- Multi-protection**
- Over-Current Protection**

69W Dual USB-C PD + QC Car Fast Charger

PID: CD239

- Input: 12-24V=8A
- USB-C1 Output: 5V=3A 9V=2.22A 12V=1.67A
- USB-C2 Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=3A
- USB-A Output: 4.5V=5A 5V=4.5A 5V=3A 9V=2A 12V=1.5A
- Total Output Power: 69W Max



- PD**
60W
- SCP**
22.5W
- 60W Fast Charging**

Bluetooth 5.0 Car FM Transmitter & Charger

PID: CD229

- Input: 12-24V=3.6A
- USB-C Output: 5V=3A 9V=2.22A 12V=1.67A
- USB-A Output: 5V=3A 9V=2A 12V=1.5A
- USB-A Output: 5V=1.5A (For USB flash drive)
- Total Output: 31.5W Max
- Support USB flash drive/TF card capacity: 128GB Max



- Bluetooth 5.0**
- HD Sound Quality**
- Fast Charging**

PD+QC Car Charger With Extended Socket

PID: CD204

- Input: 12-24V=7.5A
- USB-A Output: 5V=3A 9V=2A 12V=1.5A
- USB-C Output: 5V=3A 9V=2.22A 12V=1.67A
- Total Output: 5V=4.8A
- Extended Socket Output: 60W Max
- Total Output Power: 84W
- Support PD 3.0 & QC 3.0



- Quick Charge**
3.0/2.0
- PD**
Power Delivery
3.0/2.0
- 3 in 1**

High Quality Material

- Abrasion and scratch resistant
- Anti-oxidation



Quick Charge 2 Devices Simultaneously



- USB-C Port: **PD 20.0W**
- USB-A Port: **QC 22.5W**



Wireless Charger for Apple Watch

PID: CD144



Portable Wireless Charger for Apple Watch

Apple Watch Edition
Apple Watch Hermes
Apple Watch Series
Apple Watch Nike



Multiple Protections



Wireless Charger for Apple Watch

PID: CD177


- Input: 5V=1A
- Compatible with all versions of Apple Watch
- MFi-certified



Desktop Wireless Charging Pad

PID: CD191


- Input: 5V=2A 9V=2A 12V=2A
- Output: 15W Max
- Charging Modes: 15W, 10W, 7.5W, 5W wireless charging standards that conform to Qi EPP protocol



Wireless Charger

PID: CD221

- Input: 5V=2A 9V=2A 12V=2A
- Output: 15W Max
- Charging Modes: 15W, 10W, 7.5W, 5W wireless charging standards that conform to Qi EPP protocol



Wireless Charger Gravity Car Mount

PID: CD208

- Input: 5V=2A 9V=2A
- Output: 10W Max
- Charging Modes: 10W, 7.5W, 5W wireless charging standards that conform to Qi EPP protocol
- A piece of 1m charging cable included
- Suitable for 4.7"-6.5" mobile phones



Magnetic Wireless Charger for iPhone 12 Series Or Above

PID: CD245


- Input: 5V=2A 9V=2A 12V=2A
- Output: 15W Max
- Charging Modes: 15W, 10W, 7.5W, 5W wireless charging standards that conform to Qi EPP protocol
- Output for ios devices: 7.5W



Desktop Wireless Charging Pad

PID: CD181

- Input: 5V=2A 9V=2A 12V=2A
- Output: 15W Max
- Charging Modes: 15W, 10W, 7.5W, 5W wireless charging standards that conform to Qi EPP protocol





10000mAh 20W Mini Quick Charging Power Bank

PID: PB178

ATL Battery Cell

20W Fast Charging

Multi-protection



20W PD3.0 & QC3.0 Output

OUT

USB-A 5V/3A 9V/2A 12V/1.5A
QC 18W

IN

USB-C 5V/3A 9V/2A

OUT

USB-C 5V/3A 9V/2.22A 12V/1.5A
PD20W

10000mAh 20W Quick Charging Power Bank

PID: PB172

- USB-C Input: 5V=3A 9V=2A 12V=1.5A
- USB-C Output: 5V=3A 9V=2.22A 12V=1.5A
- USB-A Output: 5V=3A 9V=2A 12V=1.5A
- Lightning Output: 5V=3A 9V=2.22A
- Total Output: 5V=3A Max
- Battery Capacity: 10000mAh 3.82V (38.2Wh)
- Rated Capacity: 6250mAh (TYP 5V 3A)
- Limited Charging voltage: 4.4V
- MFi-Certified



ATL

Battery Cell

Multi-Protection

PD

20W Fast Charging

Magnetic Charging Pad+Lightning Cable+USB-C+USB-A

PID: PB111

- USB-C Input: 5V=3A 9V=2A 12V=1.5A
- USB-C Output: 5V=3A 9V=2.22A 12V=1.5A
- USB-A Output : 5V=3A 9V=2A 12V=1.5A
- Lightning Output : 5V=3A 9V=2.22A
- Magnetic Charging Pad Output: 5V= 1A
- Total Output: 5V=3A Max
- Battery Capacity: 10000mAh 3.82V (38.2Wh)
- Rated Capacity: 6250mAh (TYP 5V 3A)
- Limited Charging Voltage: 4.4V
- MFi-Certified



ATL

Battery Cell

Multi-Protection

PD

20W Fast Charging

10000mAh 20W Quick Charging Power Bank

PID: PB190

- USB-C Input: 5V=3A 9V=2.22A 12V=1.5A
- USB-C Output: 5V=3A 9V=2.22A 12V=1.5A
- USB-A Output: 5V=3A 9V=2A 12V=1.5A
4.5V=5A 5V=4.5A
- Battery Capacity: 10000mAh 3.7V (37Wh)
- Rated Capacity: 6250mAh (TYP 5V 2.4A)
- Limited Charging Voltage: 4.35V
- Total Output: 5V=2.4A Max



ATL

Battery Cell

Multi-Protection

PD

20W Fast Charging

20000mAh 20W Quick Charging Power Bank

PID: PB175

- USB-C Input: 5V=3A 9V=2.22A
- USB-C Output: 5V=3A 9V=2.22A 12V=1.5A
- USB-A (OUT1/OUT2) Output: 5V=3A 9V=2A 12V=1.5A
4.5V=5A 5V=4.5A
- Total Output: 5V=3A Max
- Battery Capacity: 20000mAh 3.7V (74Wh)
- Rated Capacity: 12000mAh (TYP 5V 3A)
- Limited Charging Voltage: 4.35V
- Support PD 3.0/QC 3.0/AFC/FCP/SCP



ATL

Battery Cell

Multi-Protection

PD

20W Fast Charging

20000mAh 20W Quick Charging Power Bank

PID: PB163

- USB-C Input/Output: 5V=3A 9V=2.22A 12V=1.5A
- USB-A Output 1: 5V=3A 9V=2A 12V=1.5A
- Lightning Cable Output: 5V=3A 9V=2.22A
- Total Output: 5V=3A Max
- Battery Capacity: 20000mAh 3.7V (74Wh)
- Rated Capacity: 12000mAh (TYP 5V 3A)
- Limited Charging Voltage: 4.35V
- MFi-Certified



ATL

Battery Cell

Multi-Protection

PD

20W Fast Charging

20000mAh 45W Quick Charging Power Bank

PID: PB165

- USB-C Input1: 5V=3A 9V=3A 12V=2.5A 15V=2A 20V=1.5A
- USB-C Input2: 5V=3A 9V=2.2A
- USB-C Output1: 5V=3A 9V=3A 12V=1.5A 15V=3A 20V=2.25A
- USB-C Output2: 5V=3A 9V=2.2A 12V=1.5A
- USB-A Output: 5V=3A 9V=2A 12V=1.5A
- Total Output: 5V=3A Max
- Rated Capacity: 12000mAh (TYP 5V 3A)
- Limited Charging Voltage: 4.35V



ATL

Battery Cell

Multi-Protection

PD

45W Fast Charging



Multi-Angle Phone Stand with Height Adjustment

PID: LP247



Multi Angles



Secure & Reliable



Ultralight & Foldable



Flexible Height



Two Heights Available

Slide upward to lock, push again to unlock



Neat Foldable

Easily put in the bag and take it on the go

Multi-Angle Tablet Stand

PID: LP115

- Material: PC+ABS+silicone
- 100 degree adjustable angle
- Suitable for 11-inch and below mobile phones or tablets
- Padded silicone protects against scratches



Multi angle Adjustable



Secure & Reliable



Ultralight & Foldable

Multi-Angle Phone Desktop Stand

PID: LP177

- PC+ABS
- Alloy Pole
- 5 degree to 45 degree adjustable angle
- Padded silicone protects against scratches and drops
- Suitable for 7.9 -inch and below mobile phones or tablets



Folding Design



45 Degree Adjustment



Phone Size

Foldable Multi-Angle Phone Stand

PID: LP263

- Premium alloy, foldable and portable
- Material: Aluminum alloy + silicone
- Suitable for mobile phones with 4"-7.2" screen
- Dual-axis design, and multi-angle adjustment



Multi Angle Adjustable



Secure & Stable



Compact & Weight

Adhesive Wall Mounted Charging Phone Holder

PID: LP108

- PC+ABS
- 3M adhesives
- Cables or wires can be organized to be collected in the back
- Padded silicone protects against scratches and drops



Universal Holder with Flexible Long Arm

PID: LP142

- Suitable for 4"-12.9" mobile devices
- ABS+ metal material
- Padded silicone
- 360-degree rotation of bracket and 180-degree rotation of long arm



360° Spin Clamp



Multi Angle Adjustable



Phone Size

Flexible Phone Stand

PID: LP113

- Material: ABS+silicone
- Multi-angle adjustment
- Suitable for 4"-7.2" mobile phones




360° Spin Clamp



Multi Angle Adjustable




Phone Size



Air Vent Car Phone Mount

- PID: LP120**
- Stretch to both sides
 - 360-degree rotation
 - Length: 60mm (extension up to 89mm)
 - Suitable for 4.7"-7.2" mobile phones
 - Soft Silicone protects against drops and scratches




Dashboard Snap Clip Phone Mount

- PID: LP136**
- Anti-slip silicone
 - Suitable for 4"-7.2" mobile phones
 - High temperature resistance



Dashboard Snap Clip Phone Mount

- PID: LP189**
- Anti-slip silicone
 - High temperature resistance
 - Portrait to landscape
 - Suitable for 4"-7.2" mobile phones




Gravity Air Vent Car Phone Mount

- PID: LP130**
- Gravity triangular structure
 - Portrait mode
 - Suitable for 4.7"-7.2" mobile phones
 - Rotatable pivot structure allows a multi-angle adjustment



Gravity Phone Mount with Suction Cup

- PID: LP176**
- Install with air vent clip or with suction cup
 - Strong adhesive and recyclable suction cup
 - Extendable and adjustable arms
 - Suitable for 4"-7.2" mobile phones



Classic Car Phone Mount

- PID: LP311**
- Durable metal arms
 - Portrait to landscape
 - Flexible enough at any angle for easy viewing
 - Horizontal and vertical vents are available
 - Suitable for 4.7"-7" mobile phones





Travel Accessories Multifunctional Storage Bag

PID: LP152



Water-Proof



Shock-Proof



Wear-Resisting



Small Case, Big Capacity

Store your power bank, USB cables, SD card, charger, cosmetics and more in a bag perfectly



Shockproof

The outer case is crafted with Oxford cloth and EVA material, sturdy enough for protection



Shockproof



Running Waist Pack Waterproof Belt

PID: LP112

- Available in 6.7-inch and below mobile phones
- Crafted with Neoprene, lycra
- Waterproof, reflective zipper
- Applicable to both outdoor and indoor activities



Water Proof



Exercise with Music on



Reflective Zipper

Nintendo Switch and Accessories Storage Case

PID: LP145

- Shock-resistance, more durable
- Climbing buckle
- Mesh zipper pouch
- Padded velvet interior and elastic cord
- Environmental-friendly EVA & Oxford cloth



Superior durability



Card-pockets design



Environmental material

HD Screen Tempered Protective Film For iPhone

PID: SP194

- Sensitive touch
- Anti-fingerprint
- Full HD
- Easy install kit provided
- Wear-resistant and scratch-resistant



Anti-Fingerprint



Shock Resistance



High Definition

Earphones&Cable&Charger Multifunctional Case

PID: LP128

- Waterproof EVA
- Soft padded interior
- Mesh zipper pouch



Mesh Pocket



Shock-Proof



Wear-Resisting

Waterproof Mobile Phone Pouch

PID: LP186

- Available in 6.5-inch and below mobile phones
- IPX8 waterproof grade of 30m diving depth
- Crafted with PVC film
- Support touch ID
- Support functions including camera, face ID and calls



Support Touch ID



Clear Photograph



Easy Phone-Call

Cushion Protective Case For iPhone

PID: LP488

- Shock-resistant bumper
- Long-Lasting Clarity
- Screen & camera protection
- High-quality, soft TPU material
- Four-corner airbag anti-drop



Anti-Fingerprint



Highly Durable



Skin-Friendly

HiTune T1 True Wireless Earbuds

PID: WS111




IPX5 Waterproof



4 Microphones



6mm Graphene Drivers



High-fidelity Stereo

Industry-leading 6mm graphene composite drivers for superior precision and clarity

35%
Lighter

100x
Harder



4-Mics Clear Calls

Pick up & enhance your voice

Noise cancelling Mic

Reduce background noise

Talking Mic

Pick up & enhance voice



HiTune True Wireless Stereo Earbuds

PID: WS111

- Qualcomm chipset
- Version: Bluetooth 5.0
- Bluetooth Range: 10m
- Codecs: AAC, SBC
- Operating Time: 5hrs play time on single charge; 20hrs play time with charging case



MEMS Quality Mics



Noise Cancelling



HiFi Ep



Earphones&Cable&Charger Multifunctional Case

PID: T2

- Gaming Mode: 60ms Low Latency
- Version: Bluetooth 5.0
- Bluetooth Range: 10m
- Codecs: AAC, SBC
- Operating Time: 4hrs play time on single charge; 20hrs play time with charging case
- Wireless charging
- IPX5 Waterproof



60ms Low Latency



14.2mm Dynamic Driver



wireless charging



HiTune True Wireless Stereo Earbuds

PID: WS108

- Qualcomm chipset
- Version: Bluetooth 5.2
- Bluetooth Range: 10m
- Codec: Qualcomm® aptX™, AAC, SBC
- Operating Time: 6.5hrs play time on single charge; 28hrs play time with charging case



MEMS Quality Mics



aptx Lossless Audio



cVc 8.0 Noise Cancelling



HiTune ANC True Wireless Stereo Earbuds

PID: WS118

- ANC: hybrid ANC, 35dB ANC Depth
- Low latency: 60ms low latency for gaming
- ENC Calls: crystal-clear calls
- Operating time: 6hrs play time on single charge; 24hrs play time with charging case; two hours of battery from a quick 10-minute charge
- Open to connect, customizable ear tips
- IPX5 Waterproof



Active Noise Cancellation



40ms Low Latency



24Hrs Playtime



In-Ear Earphones with Lightning Connector

PID: EP103

- MFi Certification
- 10mm dynamic drivers
- Works with iPod, iPad and iPhone models
- Crystal-clear calls filter out disruptive noise
- Three-key quick response wired control



USB-C



3.5mm



Pure Sound



Earphones with Lightning Connector

PID: EP101

- MFi Certification
- 13.6mm dynamic drivers
- Outstanding sound quality and noise isolation
- Ergonomically designed to make a perfect fit
- Three-key quick response wired control



USB-C



3.5mm



Pure Sound



23 | Audio & Video

Audio & Video / 24



Type C Male to 3.5mm Audio Adapter

PID: AV161

- Improved Compatibility
- MIC Support
- DAC Chip
- Digital Audio



Fit Most 3.5mm Audio Devices

Compatible with CTIA/OMTP
Android & Apple earphones

- Headphone
- Earphone
- Speaker
- Car Stereo

Lightning to 3.5mm Female Audio Cable

PID: US211

- MFi-certified
- Multi-layer shielding in internal
- Aluminum case with braid



- Plug and Play
- MFi Certified
- Superior Sound Quality

Lightning to 3.5mm Male Audio Cable

PID: US315

- MFi-certified
- High fidelity design
- Multi-layer shielding in internal



- Plug and Play
- MFi Certified
- Superior Sound Quality

USB C Male to 3.5mm Audio Cable

PID: AV143

- High fidelity design
- Built-in shielding protection
- iPad Pro is unavailable
- Only analog audio outputting is available
- Compatible with OMTP and CTIA headsets



- Plug and Play
- Aluminum Case
- Superior Sound Quality

USB C Male to 3.5mm Audio+Type C Female Adapter

PID: CM231

- Input: USB-C male
- Output 1: 3.5mm audio port
- Input 2: USB-C female for power supply
- Built-in chip delivers analog audio
- Compatible with iPad Pro, Samsung Note 10/10+, etc



- Superior Sound Quality
- Support PD & QC
- DAC Chip

3.5mm Male to Male Round Cable

PID: AV112

- Gold-plated connector
- Aluminum case with braid
- Supper stereo sound quality



- Plug and Play
- Aluminum Case
- Quality Sound

3.5mm Stereo Audio Splitter Cable

PID: AV123

- Input: 3.5mm male
- Output: 2 x 3.5mm female
- Simultaneous use
- MIC is unavailable
- Aluminum case



- 1 to 2
- Tangle-free
- Quality Sound



Bluetooth 5.0 Receiver

PID: CM279

Qualcomm[®] aptX[™] Low Latency

Hey, Honey

Answer

Redial last number

Reject

MIC

Dual Connection

Connect 2 Bluetooth devices at the same time

Bluetooth 5.0 & Wide Compatibility

Bluetooth 5.0 Receiver

- PID: CM279
- Support SBC/AAC/aptX/aptX LL
 - Bluetooth version: Bluetooth 5.0
 - Detachable 3.5mm connector
 - Music play and hands-free call
 - AUX interface with MIC+button



Bluetooth 5.0 Receiver

- PID: CM276
- Support SBC/AAC
 - Bluetooth version: Bluetooth 5.0
 - Detachable 3.5mm connector
 - Music play and hands-free call
 - AUX interface with MIC+button



Bluetooth 5.0 Receiver to 3.5mm Audio Adapter

- PID: CM110
- Built-in MIC
 - Support SBC/AAC/aptX/aptX LL
 - Music play and hands-free call




Car Bluetooth 5.0 Receiver

- PID: CM309
- Support SBC
 - Built-in MIC
 - Music play and hands-free call
 - Connect to two devices simultaneously
 - A combination use of USB and AUX interfaces



Wireless Bluetooth Microphone

- PID: CM476
- Bluetooth 5.0
 - Audio Transmission: Bidirectional
 - Pickup Pattern: Omnidirectional, three le



Car Bluetooth 5.0 Receiver

- PID: 70603
- Built-in MIC
 - Music play and hands-free call
 - Connect to two devices simultaneously
 - Codecs: AAC, SBC
 - Bluetooth connection or TF card reading
 - Storage capacity: TF card of 32GB



UGREEN

PRODUCT CATALOGUE


For Computer & A/V Peripherals



☎ +86-755-28066530 🌐 www.ugreen.com

📍 Ugreen Building, Longcheng Industrial Park,
Longguanxi Road, Longhua, Shenzhen, China

GLOBAL SALES NETWORKS



MARKET
COVERAGE

100+
Countries

North America	USA, Canada, Mexico
South America	Brazil, Chile, Peru
Europe	Germany, UK, Poland, Russia, Portugal
Middle East	Saudi Arabia, UAE, Kuwait, Turkey
Africa	South Africa, Egypt
East Asia	China, Japan, South Korea
Southeast Asia	Vietnam, Thailand, Malaysia, Indonesia
South Asia	India, Bangladesh

Key markets by country include but are not limited to the list above



Excellent Choices for Home Theaters

Ready to have an immersive
visual experience?





Boost Your Productivity

Ensure a stable signal and efficient data transfer





Making Conferences Smarter

Enjoy multiple connections to conveniently display media





Foster Professional Livestreaming

Designed for fantastic and premium sound quality



TABLE OF CONTENTS

USB-C Hubs & Docks

	USB-C Hubs & Docks	01-04
---	--------------------	-------

Video Peripherals

	HDMI Cables & Adapters	05-06
	VGA/DVI Cables & Adapters	07-08
	DP/Mini DP Cables & Adapters	09-10
	Switches, Splitters, & Converters	11-12

Audio Peripherals

	Audio Cables & Converters	13-14
	Bluetooth Adapters	15-16
	Sound Cards	17-18

USB Peripherals

	USB Hubs	19-20
	Card Readers	21-22
	USB Ethernet Adapters	23-24
	USB Cables & Converters	25-28

Data Storage

	Data Storage	29-30
---	--------------	-------

Networking Products


	Networking Products	31-32
---	---------------------	-------



USB-C 3.0 to 4-Port Hub

PID: CM219


- *Input: USB-C male
- *Output: 4 x USB-A 3.0 female
- *USB 3.0 up to 5Gbps
- *With USB—C power port



USB-C 5-in-1 Multifunction Hub

PID: CM418


- *Input: USB-C male
- *Output: 2 × USB-A 3.0+HDMI+RJ45 Gigabit +PD
- *USB 3.0 up to 5Gbps
- *HDMI resolutions up to 4K@30Hz
- *Supports PD fast charging up to 100W
- *Supports 10/100/1000Mbps network access



USB-C 9-in-1 Multifunction Hub with Foldable Cable

PID: CM286


- *Input: USB-C male
- *Output: 3 x USB-A 3.0+HDMI+VGA+ RJ45+SD/TF+PD
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *VGA: 1080P@60Hz
- *Network access: 1000Mbps
- *Supports PD fast charging up to 100W
- *Supports SD/TF card write and read simultaneously



USB-C 10-in-1 Multifunction Hub

PID: CM179

- *Input: USB-C male
- *Output: 3 x USB-A 3.0+HDMI+VGA+RJ45+ SD/TF+AUX+PD
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *VGA: 1080P@60Hz
- *Network access: 1000Mbps
- *Supports PD fast charging up to 100W
- *AUX 3.5mm can be used independently
- *Supports SD/TF card write and read simultaneously



USB-C 5-in-1 Multifunction Hub

PID: CM136


- *Input: USB-C male
- *Output: 3 × USB-A female+HDMI+ USB-C female
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *Supports PD fast charging up to 100W



USB-C 6-in-1 Multifunction Hub

PID: CM195


- *Input: USB-C male
- *Output: 2 x USB-A 3.0+HDMI+SD/TF+PD
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *Supports PD fast charging up to 100W
- *Supports SD/TF card write and read simultaneously



USB-C 9-in-1 Multifunction Converter

PID: CM274


- *Input: USB-C male
- *Output: 2 x USB-A 3.0+HDMI+DP+VGA+ RJ45+SD/TF+PD
- *USB 3.0 up to 5Gbps
- *HDMI&DP: 4K@60Hz
- *VGA: 1080P@60Hz
- *Network access: 1000Mbps
- *Supports PD fast charging up to 100W
- *Supports HDMI, DP, & VGA use simultaneously
- *Supports SD/TF card write and read simultaneously



Dual USB-C 5-in-1 Multifunction Converter

PID: CM251


- *Input: 2 x USB-C male
- *Output: 3 x USB-A 3.0+HDMI+USB-C female
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *Supports PD fast charging up to 100W
- *Compatible with ThunderBolt 3
- *Suitable for MacBook Pro & MacBook Air



USB-C 8-in-1 Multifunction Hub

PID: CM121


- *Input: USB-C male
- *Output: 3 x USB-A 3.0+HDMI+RJ45 Gigabit +SD/TF+PD
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *Network access: 1000Mbps
- *Supports PD fast charging up to 100W
- *Supports SD/TF card write and read simultaneously



USB-C 9-in-1 Multifunction Hub

PID: CM179


- *Input: USB-C male
- *Output: 3 x USB-A 3.0+HDMI+VGA+ RJ45+SD/TF+PD
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *VGA: 1080P@60Hz
- *Network access: 1000Mbps
- *Supports PD fast charging up to 100W
- *Supports SD/TF card write and read simultaneously



Dual USB-C 5-in-1 Multifunction Converter

PID: CM218


- *Input: 2 x USB-C male
- *Output: 2 x USB-A 3.0+HDMI+RJ45+USB-C female
- *USB 3.0 up to 5Gbps
- *HDMI: 4K@30Hz
- *Network access: 1000Mbps
- *Compatible with ThunderBolt 3
- *Supports PD fast charging up to 100W
- *Suitable for MacBook Pro & MacBook Air



Dual USB-C 7-in-1 Multifunction Converter

PID: CM356

- *Input: 2 x USB-C male
- *Output: 2 x USB-A 3.0+2 x HDMI+SD/TF+ USB-C female
- *USB 3.0 up to 5Gbps
- *HDMI 1: 4K@60Hz
- *HDMI 2: 4K@30Hz
- *Dual HDMI display
- *Supports PD fast charging up to 100W
- *Compatible with ThunderBolt 3
- *Suitable for MacBook Pro & MacBook Air





HDMI 2.1 Male To Male Cable

PID: HD135

- HDR
- 48Gbps
- 8K@60Hz
- 3D Vision

1

Ultra Durability
1000+ bend lifespan for everlasting durability

Premium Zinc Alloy Case
Prevents scratches and rust, more durable

2

3

High Quality Nickel Plated Connector
for optimal signal transference

Stable Transmission with Multiple Layers of Shielding



- Tinned Copper
- Cotton Yarn
- Aluminum Foil Shielding
- Braid
- PE Insulation
- Nylon Braid

HDMI Male to Male Cable

PID: HD118

- *1m-3m supports 4K@60Hz
- *5m-12m supports 4K@30Hz
- *15m-20m supports 4K@30Hz
- *Gold-plated connector
- *Multi-layer shielding in internal

- 4K HD
- Supports 3D
- HDR

Mini HDMI Male to HDMI Female Adapter Cable

PID: 20137

- *HDMI 1.4
- *Supports 4K@30Hz
- *Multi-layer shielding
- *TMDs data transmission technology

- 4K HD
- Supports 3D
- HDR

HDMI Male to DVI (24+1) Round Cable

PID: HD106

- *Two-way switch
- *1m-5m: 30AWG OD 7.3mm
- *1m-5m: 1080P@60Hz

- 2 IN 1
- Gold-plated
- 2K@60Hz

HDMI+USB port to DP Converter

PID: MM107

- *Input: HDMI male
- *Output: DP female
- *Supports 4K@30Hz/1080P@60Hz
- *USB port for power supply

- 4K HD
- Plug&Play
- Anti-Interference

Micro HDMI Male to HDMI Male Cable

PID: HD127

- *HDMI 2.0
- *Supports 3D
- *1m-3m: 32AWG OD 5.0mm
- *1m-2m supports 4K@60Hz
- *3m supports 4K@30Hz

- 4K HD
- Supports 3D
- HDR

HDMI Female to Female Adapter

PID: 20107

- *Total extension length: ≤20M (Max)
- *Total length: ≤3M, supports 4K@60Hz
- *Others: 1080P

- 4K HD
- Supports 3D
- HDR

HDMI to VGA+3.5mm Audio Converter

PID: MM103

- *Input: HDMI male+Micro USB port
- *Output: VGA female+3.5mm audio
- *1920*1080@60Hz(Max)
- *Micro USB port for power supply

- HD1080P @60HZ
- Plug&Play
- Anti-Interference

HDMI to Mini DP Converter

PID: CM239

- *Input: HDMI male
- *Output: Mini Display female
- *Supports 4K@30Hz/1080P@60Hz
- *Power supply: Micro USB 5V

- 4K HD
- Plug&Play
- Aluminium Case



VGA Male to Male Cable

PID: VG101

- Mirror& Extended Mode
- HD 1080P @60Hz
- Anti-electromagnetic Interference



MULTIPLE SHIELDING

ANTI ELECTROMAGNETIC INTERFERENCE

VGA Male to HDMI Female Converter

PID: CM269

- *Input: VGA male
- *Output: HDMI female
- *1080P@60Hz
- *Audio input: 3.5mm stereo plug
- *Power supply: Micro USB port 5V/1A
- *EDID is unavailable

- HD1080P @60HZ
- Support Audio
- Anti-electromagnetic Interference

VGA 2*1 Switch

PID: MM126

- *Input: 2*VGA
- *Output: 1*VGA
- *1080P@60Hz support DDC
- *Supports long-distance transmission of 16m
- *1m USB cable for power supply

- HD1080P @60HZ
- Plug&Play
- Anti-electromagnetic Interference

VGA 2*1 KVM Switch

PID: 30357

- *Input: 2 x VGA port, 2 x USB-B 2.0 female
- *Output: 1 x VGA port, 2 x USB-A 2.0 female
- *Maximum resolution is 1920*1440
- *Control two computers using a single device
- *Press button for easy switching

- HD1080P @60HZ
- Plug&Play
- One-click Switch

DVI (24+1) Male to Male Cable

PID: DV101

- *Multi-layer shielding protection
- *Ferrite core anti-interference
- *Length ≤3m, supports 2K@60Hz
- *Length >3m, supports 1080P@60Hz
- *Gold-plated connector
- *Core: tin-plated oxygen-free copper

- HD1080P @60HZ
- Plug&Play
- Anti-electromagnetic Interference

DVI (24+5) Male to VGA Male Cable

PID: DV102

- *Unidirectional
- *1080P@60Hz
- *Multi-layer shielding protection
- *Gold-plated connector
- *DVI (24+5) port is unavailable

- HD1080P @60HZ
- Plug&Play
- Anti-electromagnetic Interference

DVI (24+1) Male to VGA Female Active Converter

PID: MM108

- *Input: DVI (24+1) male
- *Output: VGA female
- *Unidirectional
- *1080P@60Hz (Max)

- HD1080P @60HZ
- Supports 3D
- Anti-electromagnetic Interference



DP 1.4 Male To Male Cable

PID: DP112

 HDR

 48Gbps

 8K@60Hz


 3D Vision

TOP-NOTCH DISPLAYPORT 1.4 CABLE

Compliant with VESA, stronger performance

	DP 1.4	DP 1.2
Bandwidth	32.4Gbps	21.6Gbps
Refresh rate	8K@60HZ 4K@144HZ 2K@165HZ	4K@60HZ 2K@144HZ
Sound transmission	32Bit	8Bit
Dynamic HDR	Yes	No
Multi-screen display	Yes	No

MULTI-LAYER SHIELDING RESISTS EMI



DP 1.2 Male to Male Cable

PID: DP102

- *Support 3D
- *28AWG tin-plated copper
- *Multi-layer shielding in internal
- *1m-5m supports 4K@60Hz

 4K HD

 Supports 3D

 HDR

DP Male to VGA Female Converter

PID: DP109

- *Input: DP male
- *Output: VGA female
- *No audio function
- *1920*1080@60Hz
- *Multi-layer shielding in internal

 1080P
HD1080P @60HZ

 Plug&Play

 Anti-electromagnetic Interference

DP Male to HDMI Male Cable

PID: DP101

- *1m-8m: supports 4K@30Hz
- *28AWG tin-plated copper
- *Multi-layer shielding in internal

 4K HD

 Supports 3D

 HDR

DP to HDMI Female Converter

PID: MM137

- *Input: DP male
- *Output: HDMI female
- *4K*2K@30Hz
- *Supports HDMI cable up to 10 meters totally

 4K HD

 Supports 3D

 HDR

Mini DP to DP Cable

PID: MD105

- *Supports resolutions up to 4K
- *32AWG tin-plated copper
- *Multi-layer shielding in internal
- *Bi-directional transmission

 4K HD

 Supports 3D

 HDR

Mini DP to HDMI Female Converter

PID: MD112

- *Supports 1080P or 4K@30Hz
- *Core: tin-plated copper
- *Multi-layer shielding in internal

 4K HD

 Supports 3D

 HDR

Mini DP to VGA Female Converter

PID: MD113

- *Supports 1080P
- *Core: tin-plated copper
- *Multi-layer shielding in internal
- *No 3.5mm audio output jack

 1080P
HD1080P @60HZ

 Plug&Play

 Anti-electromagnetic Interference

Mini DP to VGA + HDMI Female Converter

PID: MD115

- *Aluminum case
- *4K@30Hz for HDMI
- *1080P@60Hz for VGA
- *HDMI and VGA can't use at the same time

 4K HD

 Supports 3D

 HDR




HDMI 2*1 Bi-Directional Switch

PID: CM217



PORTABLE AND COMPACT
EASY TO OPERATE, SMALL TO STORE.



HDMI 2.0 2*1 Switch

PID: CM333

- *Input: 2*HDMI
- *Output: 1*HDMI
- *HDMI 2.0
- *Supports 4K@60Hz



HDMI 2*1 KVM Switch

PID: CM200

- *Input: 2*HDMI, 2*USB-B 2.0
- *Output: 1*HDMI, 2*USB-A 2.0, 2*USB-A 1.1
- *Supports ≤10m 4K@30Hz
- *Supports ≤28m 1080P@60Hz



HDMI 2.0 3*1 Switch

PID: CM188

- *Input: 3*HDMI
- *Output: 1*HDMI
- *HDMI 2.0
- *Supports ≤13m 4K@60Hz
- *Supports ≤17m 4K@30Hz
- *Supports ≤20m 1080P@60Hz



HDMI 4*1 KVM Switch

PID: CM293

- *Input: 4*HDMI, 4*USB-B 2.0
- *Output: 1*HDMI, 2*USB-A 2.0, 2*USB-A 1.1
- *Supports ≤10m 4K@60Hz
- *Supports ≤20m 4K@30Hz



HDMI 5*1 Switch

PID: 40205

- *Input: 5 x HDMI
- *Output: 1 x HDMI
- *HDMI 1.4
- *Supports ≤8m 4K@30Hz
- *Supports ≤24m 1080P@60Hz



HDMI 2.0 4*2 Matrix Switch & Splitter

PID: CM288

- *Input: 4 x HDMI
- *Output: 2 x HDMI, 1 x 3.5mm stereo jack, 1 x S/PDIF
- *Switch mode: two monitors display different images
- *Splitter mode: two monitors display the same image
- *Resolutions up to 4K@60Hz





Toslink Optical Male To Male Audio Cable

PID: AV108

- Square Optical Interface
- Gold-plated
- HIFI

ADVANCED FEATURES

Stable signal, free from electromagnetic and noise interference.

Optical pulse transmission

DURABLE STRUCTURE

Gold-plated Connectors

Nylon Braided Cable

Rubber Protective Cap

3.5mm Male to Male Angled Flat Cable

PID: AV119

- *Straight to angled
- *Enamelled copper core
- *Gold-plated connector
- *Eco-friendly & elastic TPE

- Gold-plated
- Plug&Play
- Anti-electromagnetic Interference



3.5mm Male to Male Round Cable

PID: AV112

- *Enamelled copper core
- *Gold-plated connector
- *Blue aluminum shell + Braid

- Gold-plated
- Plug&Play
- Anti-electromagnetic Interference



Dual 3.5mm Male to 3.5mm Female Audio Cable

PID: AV140

- *Input 1: 3.5mm male for Mic
- *Input 2: 3.5mm male for headset
- *Output: 3.5mm female
- *Enamelled copper core
- *Eco-friendly & elastic TPE

- Gold-plated
- Plug&Play
- Anti-electromagnetic Interference



3.5mm Male to Female Audio Cable

PID: AV118

- *Supports Mic
- *Gold-plated connector
- *Enamelled copper core
- *Threaded aluminum case + Braid

- Gold-plated
- Plug&Play
- Anti-electromagnetic Interference



3.5mm Male to 6.35mm Male Cable

PID: AV127

- *Pure copper core
- *Gold-plated connector
- *Multi-layer shielding in internal
- *Hi-Fi stereo sound quality
- *Zinc alloy case + Braid

- HIFI
- Plug&Play
- Anti-electromagnetic Interference



6.35mm Male to 6.35mm Male Cable

PID: AV128

- *Pure copper core
- *Gold-plated connector
- *Internal shielding
- *Zinc alloy case + Braid

- HIFI
- Plug&Play
- Anti-electromagnetic Interference



3.5mm to Dual 6.35mm Male Cable

PID: AV126

- *Pure copper core
- *Gold-plated connector
- *Multi-layer shielding in internal
- *Hi-Fi stereo sound quality
- *Zinc alloy case + Braid

- HIFI
- Plug&Play
- Anti-electromagnetic Interference



3.5mm Male to 2 RCA Male Cable

PID: AV170


- *31AWG enamelled copper core
- *Internal shielding design
- *Gold-plated connector

- Gold-plated
- Plug&Play
- Anti-electromagnetic Interference



USB-A Bluetooth 5.0 Adpater

PID: CM399



Connect 5 Devices
Simultaneously



Portable & compact



Bluetooth Transmitter&Receiver

PID: CM403

- *Bluetooth Version: V5.0
- *Input: 3.5mm plug
- *aptX certified
- *Battery capacity: 3.7V/140mAh
- *Connection: point to point connection



Bluetooth Receiver Audio Adapter

PID: CM123

- *Bluetooth Version: V5.0
- *Output: female R/L audio and 3.5mm plug
- *Bluetooth protocols: AVRCP/A2DP
- *Transmit range: up to 10m/33ft
- *Battery capacity: 3.7V/200mAh



Bluetooth Transmitter Audio Adapter

PID: CM107

- *Bluetooth Version: V5.0
- *Input: 3.5mm plug
- *aptX certified
- *Bluetooth protocol: A2DP
- *Connection: point to point connection



Bluetooth Transmitter Audio Adapter

PID: CM150

- *Bluetooth Version: V5.0
- *Input: fiber optic plug
- *aptX certified
- *Bluetooth protocol: A2DP
- *Connection: point to point connection



Bluetooth Transmitter & Receiver

PID: CM108

- *Bluetooth Version: V5.0
- *TX:input 3.5mm plug
RX:output 3.5mm plug
- *aptX certified
- *Battery capacity: 3.7V/200mAh
- *Connection: point to point connection



Bluetooth Transmitter & Receiver

PID: CM144

- *Bluetooth Version: V5.0
- *TX: Input 3.5mm plug and fiber optic jack
RX: output 3.5mm plug and fiber optic jack
- *aptX certified
- *Battery capacity: 3.7V/300mAh
- *Connection: point to point connection





USB-A External Stereo Sound Adapter

PID: US205




Stereo Sound Effects



Plug and Play



Support Mic



USB PORT :

Computer

Laptop

MAC Mini

PS4

AUDIO PORT :

Microphone

Earphone

Headphone

Speaker

UNIVERSAL COMPATIBILITY



USB-A to 3.5mm External Sound Adapter

PID: CM383

- *Input: USB-A male
- *Output: 3.5mm AUX jack (mic & headset)
- *SNR: > 100dB
- *Sampling rate: 96KHz/24bit, 192KHz/16bit
- *Frequency response: 20Hz-20KHz



Stereo Sound Effects



Plug&Play



Supports Mic



USB-A External Stereo Sound Adapter

PID: US206

- *Input: USB-A male
- *Output: 3.5mm AUX jack (mic & headset)
- *SNR: 94dB
- *Sampling rate: 96KHz/24 bit, 192KHz/16bit
- *Frequency response: 20Hz-20KHz



Stereo Sound Effects



Plug&Play



Supports Mic



USB-A External Stereo Sound Card

PID: CM129

- *Input: USB-A 2.0 male
- *Output 1: 3.5mm jack for headset (green)
- *Input 2: 3.5mm jack for mic (red)
- *Output 3: 3.5mm CTIA 4-pole combo Mic/headset jack
- *Quickly mute headset and mic with just one button; voice control



Stereo Sound Effects



Plug&Play



Supports Mic



7.1 Channel USB Audio Adapter

PID: CM190

- *Input: USB-A 2.0 male
- *Output 1: 3.5mm jack for headset (green)
- *Input 2: 3.5mm jack for mic (red)
- *Supports 7.1 channel surround
- *Frequency response: 20Hz-20kHz



Stereo Sound Effects



Plug&Play




Supports Mic





4-in-1 USB 3.0 Data HUB

PID: CR113




EXTRA PORT FOR POWER



4-in-1 USB 3.0 Data Hub

PID: CM219


- *Input: USB-A 3.0 male
- *Output: 4*USB-A 3.0 female
- *USB 3.0 up to 5Gbps
- *Supports 10TB hard drive
- *With USB-C power port
- *ABS case + Metallic paint



4-in-1 USB 3.0 Data Hub

PID: CM416

- *Input: USB-A 3.0 male
- *Output: 4*USB-A 3.0 female
- *USB 3.0 up to 5Gbps
- *Supports 12TB hard drive



STABLE AND RELIABLE

Protect both your devices and precious data




COMPACT & CONVENIENT



4-in-1 USB 2.0 Data Hub

PID: CR106

- *Input: USB-A 2.0 male
- *Output: 4*USB-A 2.0 female
- *USB 2.0 up to 480Mbps
- *Supports 10TB hard drive
- *With micro USB power port



USB 3.0 Card Reader for TF/SD

PID: CM264

- *Input: USB-A 3.0 male
- *Output: TF/SD 3.0 card slot
- *Memory card transfer speed: ≈95MB/S
- *Supports a simultaneous write and read of memory cards





USB-C TF/SD 4.0 Card Reader

PID: CM265



- 260 Mbps
- 4.0 SD Card Slot
- Simultaneous Use
- USB-C



SPECIALLY FOR UHS-II CARDS

2-IN-1 TYPE-C CARD READER

Simultaneously read and write on two cards, 512GB max read capacity



SUPERSPEED DATA TRANSMISSION

Compatible with SD/TF 4.0 card, 3 times faster than SD/TF 3.0

USB 3.0 Card Reader for TF/SD

PID: CM401

- *Input: USB-A 3.0 male
- *Output: TF/SD 3.0 card slot
- *Memory card transfer speed: $\approx 95\text{MB/S}$
- *512G measured, theoretical capacity of 2TB
- *Supports a simultaneous write and read of memory cards



- 2 IN 1
- Plug&Play
- 2T

USB-C+USB-A to TF/SD Card Reader

PID: CM185

- *Input 1: USB-C 3.1 Gen 1 male
- *Input 2: USB-A 3.0 male
- *Output: TF/SD 3.0 card slot
- *Memory card transfer speed: $\approx 100\text{MB/S}$
- *512G measured, theoretical capacity of 2TB
- *Supports a simultaneous write and read of memory cards



- 2 IN 1
- Plug&Play
- 2T

3-In-1 USB 3.0 Card Reader

PID: CM382

- *Input: USB-A 3.0 male
- *Output: TF/SD/CF 3.0 card slot
- *CF II card is unavailable
- *Memory card transfer speed: $\approx 100\text{MB/S}$
- *256G measured, theoretical capacity of 2TB
- *Supports a simultaneous write and read of memory cards



- 3 IN 1
- Plug&Play
- 2T

4-In-1 USB 3.0 Card Reader

PID: CM180

- *Input: USB-A 3.0 male
- *Output: TF/SD/MS/CF 3.0 card slot
- *CF II card is unavailable
- *Memory card transfer speed: $\approx 100\text{MB/S}$
- *256G measured, theoretical capacity of 2TB
- *Supports a simultaneous write and read of memory cards



- 4 IN 1
- Plug&Play
- 2T

USB-C 3.1 To 2.5G Ethernet Adapter

PID: CM275



2.5G Ethernet



USB-C 3.1



ENJOY A SPEEDY JOURNEY UP TO 2500MBPS

2500Mbps



Download: 270Mb/s
Upload: 280Mb/s

1000Mbps



Download: 115Mb/s
Upload: 114Mb/s

Compatible Systems

Mac OS 

Windows 



USB-C 3.1 to Gigabit Ethernet Adapter

PID: CM199

- *Input: USB-C 3.1 Gen1 male
- *Output: RJ45 Gigabit Ethernet port
- *Supports 10/100/1000 Mbps network access
- *Aluminum case



Gigabit Ethernet



Aluminum Casing



LED Indicator



USB-C 3.1 Male to Gigabit Ethernet Adapter

PID: US236

- *Input: USB-C 3.1 Gen1 male
- *Output: RJ45 Gigabit Ethernet port
- *Supports 10/100/1000 Mbps network access
- *Supports full-duplex and half-duplex
- *Supports network remote wakeup



Gigabit Ethernet



5Gbps



LED Indicator



USB-C 2.0 to 100 Mbps Ethernet Adapter

PID: 30287

- *Input: USB-C 2.0 port
- *Output: RJ45 Ethernet port
- *Supports 10/100 Mbps network access



100Mbps



Driver-Free



LED Indicator



USB 3.0 Hub with Gigabit Ethernet

PID: 20265

- *Input: USB-A male
- *Output 1: RJ45 Ethernet port
- *Output 2: 3 × USB-A female
- *USB 3.0 up to 5Gbps
- *Supports 1000Mbps network access
- *DC5V jack for power supply



Gigabit Ethernet



USB 3.0



LED Indicator



USB 3.0 to Gigabit Ethernet Adapter

PID: CM209

- *Input: USB-A 3.0 port
- *Output: RJ45 Gigabit Ethernet port
- *Supports 10/100/1000Mbps network access
- *LED indicators



Gigabit Ethernet



USB 3.0



LED Indicator



USB 3.0 to Gigabit Ethernet Adapter

PID: CR111

- *Input: USB-A 3.0 port
- *Output: RJ45 Gigabit Ethernet port
- *Supports 10/100/1000Mbps network access
- *LED indicators



Gigabit Ethernet



USB 3.0



LED Indicator



USB 2.0 to 100Mbps Ethernet Adapter

PID: CR110

- *Input: USB-A port
- *Output: RJ45 Ethernet port
- *Supports 10/100 Mbps network access
- *LED indicators



100Mbps



Driver-Free



LED Indicator



Micro USB 2.0 to 100Mbps Ethernet Adapter

PID: 30985

- *Input: Micro USB port
- *Output: RJ45 Ethernet port
- *Supports 10/100 Mbps network access
- *For Chromecast and Micro TV Sticks



100Mbps



Driver-Free



LED Indicator





Type C To HDMI Converters

PID: MM142



4K UHD



Video&Audio



Durable&Flexible

USB-C/Thunderbolt 3 Compatible

Support Samsung Dex

USB-C



Desktop

Mac Mini/iMac



Laptop

MacBook Pro
MacBook Air 2021



Tablet

iPad Pro 2021
Samsung Tab S7



Phone

Samsung S21/S20
Huawei P40

HDMI



Projector



Monitor




TV





Enhanced Heat Management

Aluminum case for faster heat dissipation & better performance



Your Best Travel Mate

Mini size, best travel mate for your phone & laptop

USB Peripherals | 26

USB-C to HDMI Female Adapter

PID: CM297

- *Input: USB-C male
- *Output: HDMI female
- *Supports 4K@60Hz/2K@120Hz
- *HDMI 2.0, support 3D
- *Aluminum case



USB-C to DP Cable

PID: MM139

- *Input: USB-C male
- *Output: DP female
- *Supports 8K@60Hz
- *Supports mirror mode and extended mode
- *Gold-plated connector



USB 3.0 Male to Male Cable

PID: US128

- *Speeds up to 5Gbps
- *Supports 2A current
- *Gold-plated connector
- *Multi-layer shielding design



USB 3.0 A/M to Female Extension Cable

PID: US129


- *Input: USB-A male
- *Output: USB-A female
- *Gold-plated connector
- *USB 3.0 up to 5Gbps
- *Multi-layer shielding in internal



Thunderbolt 4 USB-C Cable

PID: US501


- *Input: USB-C male
- *Output: USB-C male
- *Thunderbolt 4 standard, 40Gbps
- *5A fast charging (PD 100W)
- *Supports 8K 60Hz high resolution
- *Transmit audio and video simultaneously



USB-C 3.1 Extension Cable

PID: US353

- *Input: USB-C 3.1 Gen 2 male
- *Output: USB-C 3.1 Gen 2 female
- *Speeds up to 10Gbps
- *5A fast charging (PD 100W)
- *Transmit audio and video simultaneously
- *Built-in Active IC, support 4K@60Hz



USB 3.0 A/M to Micro USB 3.0 Male Cable

PID: US130

- *Input: USB-A 3.0 male
- *Output: Micro USB 3.0 male
- *Function: charging & data sync
- *Supports 4TB hard drive
- *USB 3.0 up to 5Gbps
- *Multi-layer shielding design



USB 3.0 A/M to B/M Data Scanner Cable

PID: US210

- *Input: USB-A 3.0 male
- *Output: USB-B 3.0 male
- *Supports print devices, hard drives, Blu-ray devices, webcams, cameras, etc.
- *Supports 4TB hard drive
- *Speeds up to 5Gbps
- *Supports 2A current



USB 3.0 to USB-C 3.1 Female Adapter

PID: US276

- *Input: USB-A 3.0 male
- *Output: USB-C 3.1 Gen 1 female
- *USB 3.0 up to 5Gbps
- *Supports 3A current (for mobile charge)
- *Aluminum alloy case



USB 2.0 A/M to B/M Printer Scanner Cable

PID: US135


- *Input: USB-A male
- *Output: USB-B male
- *Gold-plated connector
- *Speeds up to 480Mbps
- *3m with single magnetic loop
- *5m with double magnetic loop



Micro USB 3.0 to USB-C 3.1 3A Cable

PID: US312


- *Input: USB-C 3.1 Gen 1 male
- *Output: Micro USB 3.0 male
- *Supports 4TB hard drive
- *Speeds up to 5Gbps
- *5V/2A fast charge
- *Multi-layer shielding in internal



USB-C 2.0 to USB-B 2.0 Printer Cable

PID: US241


- *Input: USB-C male
- *Output: USB-B 2.0 male
- *Speeds up to 480Mbps
- *USB-C is compatible with Thunderbolt 3 interface
- *Driver-free



USB 2.0 Male to Female Extension Cable

PID: US103

- *Speeds up to 480Mbps
- *Nickel-plated connector
- *Multi-layer shielding design
- *Eco-friendly



Mini USB Charging Data Cable

PID: US132

- *Speeds up to 480Mbps
- *Gold-plated connector
- *Eco-friendly
- *3m with magnetic loop






M.2 NVME SSD Enclosure (10Gbps)

PID: CM238

- 
Short Circuit Protection
- 
10Gbps
- 
Tool-Free
- 
2TB Large Capacity

COMPATIBLE WITH 4 DIFFERENT SIZE
M.2 M-KEY & M+B KEY PCIE NVME SSD



Driver free ▶ Windows Chrome OS Linux MacOS



M.2 NVMe Hard Drive Enclosure

PID: CM320

Input: USB-C male
Output: M.2 M-Key
USB 3.1 Gen 2 speeds up to 10Gbps
Supported drive types: M.2 PCI-e/ NVMe SSD
Supported drive size: 2230, 2242, 2260, 2280
Compatible systems: Windows/macOS/Linux

- 
Short Circuit Protection
- 
Max
- 
Tool-Free



M.2 B-Key SATA SSD Enclosure (6Gbps)

PID: CM238

*Input: USB-C 3.1 Gen 2 female
*Output: M.2 B-Key (SATA III stand)
*SATA III speeds up to 6Gbps
*USB-C 3.1 Gen 2 speeds up to 10Gbps
*Supports M.2 (SATA) B-Key SSD
*Built-in ESD protection circuit

- 
Short Circuit Protection
- 
Max
- 
Tool-Free



M.2 SATA Dual-Bay RAID Enclosure

PID: CM299

*Input: USB C 3.1 Gen 2 female
*Output: M.2 B-Key (SATA III stand)
*SATA III speeds up to 6Gbps
*USB-C 3.1 Gen 2 speeds up to 10Gbps
*Supports M.2 (SATA) SSD
*Built-in ESD protection circuit

- 
Short Circuit Protection
- 
Max
- 
Tool-Free



M.2 NVMe Hard Drive Enclosure (10Gbps)

PID: CM353

*Input: USB-C male, USB-A male
*Output: M.2 M-Key (NVMe/PCI-e stand)
*USB-C 3.1 Gen 2 speeds up to 10Gbps
*Supports M.2 (NVMe) SSD
*Built-in ESD protection circuit

- 
Short Circuit Protection
- 
Max
- 
Tool-Free



USB 3.0 to 2.5" SATA Hard Drive Enclosure

PID: CM237

*Input: micro USB 3.0 female
*Output: (7+15) SATA
*Built-in ESD protection circuit
*Compliance with UASP
*USB 3.0 up to 5Gbps

- 
Short Circuit Protection
- 
Max
- 
HDD



USB-C to 3.5"/2.5" SATA Hard Drive Enclosure

PID: CM301

*Input: USB-C 3.1 Gen 2 female
*Output: (7+15) Pin SATA III port
*Up to 16TB
*SATA III speeds up to 6Gbps
*USB 3.1 Gen 2 speeds up to 10Gbps

- 
6Gbps
- 
Sleep protection
- 
Aluminum alloy



USB 3.0 to 2.5" SATA Adapter Cable

PID: CM321

*Input: USB-C 3.0 male
*Output: (7+15) Pin SATA III port
*SATA 3.0 speeds up to 6Gbps
*Compatible with 2.5" HDD, SSD

- 
Plug&Play
- 
5Gbps
- 
USB 3.0



SATA III Data Cable

PID: US217

*Straight to angled
*SATA III interface
*Speeds up to 6Gbps
*Fasteners on heads
*Flame-retardant material

- 
Plug&Play
- 
Max
- 
Sata 3.0





Cat8 CLASS I S/FTP Round Ethernet Cable

PID: NW121






Stability Durability 40Gbps

SUPER PERFORMANCE

Multi-protection provides less signal losses and higher speed transmission



Copper core

Aluminum foil

Braid

PVC jacket

8P8C GOLD PLATED CONTACTS

More stable, more durable



Cat8 Class I F/FTP Round Ethernet Cable

PID: NW153


- *F/FTP
- *Type: Cat8 Class I
- *Core: 30AWG pure copper
- *OD: 5.5mm(1-5m)
- *Transmission speed: 40Gbps
- *Bandwidth: 2000MHz
- *Stranding method: 8-core twisted pair



Cat7 F/FTP Ultra Slim Ethernet Cable

PID: NW149

- *F/FTP
- *Type: Cat7
- *Core: 34AWG pure copper
- *OD: 4.0mm
- *Transmission rate: 10Gbps
- *Bandwidth: 600MHz
- *Stranding method: 8-core twisted pairs



Cat6a UTP Ultra Slim Ethernet Cable

PID: NW122

- *U/UTP
- *Core: 32AWG pure copper
- *OD: 2.8mm
- *Transmission rate: 10Gbps
- *Bandwidth: 500MHz
- *Stranding method: 8-core twisted pairs



Cat6 UTP Flat Ethernet Cable

PID: NW101

- *UTP
- *Core: 32AWG pure copper
- *Ethernet speed: 1000Mbps
- *Bandwidth: 250MHz
- *Stranding method: 8-core twisted pair



Cat6 UTP Ethernet Cable

PID: NW102


- *UTP
- *Core: 26AWG copper clad aluminum
- *OD: 6mm
- *Gold-plated pure copper connector
- *Ethernet speed: 1000Mbps
- *Bandwidth: 250MHz
- *Stranding method: 8-core twisted pair



Cat5 UTP Ethernet Cable

PID: NW103

- *UTP
- *Core: 26AWG copper clad aluminum
- *OD: 5.5mm
- *Ethernet speed: 100Mbps
- *Bandwidth: 125MHz
- *Stranding method: 8-core twisted pair



—— MORE POSSIBILITIES WITH UGREEN ——